

PRODUCT GUIDE

Exterior/Interior



0800 278 727
Astrapaints.co.nz

ROOFRITE

Premium Performance Roof Coating System

ROOFRITE Roof Paint

- **Designed and made in New Zealand**
- **Outstanding durability**
- **100% Acrylic Roof Coating**
- **Self Priming**
- **Tough, dirt resistant surface**
- **Environmentally friendly**
- **Safe for collecting drinking water**
- **Suitable for coastal areas**
- **Ready for spray application**
- **3 Finishes – Semi-Gloss, Gloss, or Matt**

**Available in COLORSTEEL® colours
(custom colours by request)**

See the ROOFRITE User Guide for more Information

ROOFRITE

Base Coat/Primers

Zinc Primer

- Designed for use over galvanised iron and precoated roofing products
- Is a primer-undercoat containing an anticorrosive additive
- Imparts excellent gloss retention on following finish coats
- Anticorrosive properties helps to extend the life of the roof

Hi Build Primer/Base Coat

- Provides excellent hiding characteristics and filling properties
- Suitable for both concrete tiles and decramastic tile roofs
- High cohesive bond strength, ideal for re-chipping Decramastic roof tiles
- Excellent adhesion to substrate with very good flexibility

Tile Sealer

- Is a penetrating sealer for unpainted, porous or friable surfaces
- Excellent penetration and adhesion to concrete tile and cement surfaces
- Strengthens and seals friable cement surface
- Improves adhesion for topcoats

Key Coat

- Using the latest Nano technology as a sealer for concrete roof tiles
- Unique properties ensure even porosity over the whole surface
- Unsurpassed adhesion for the following finish coats
- Can also be used on chalky surfaces such as aged Colour Steel

Anticorrosive Grey Primer (Oil Based)

- Single pack primer based on alkyd resins
- Effectively adheres to galvanised steel and stops zinc corrosion

Rust Convertor

- Converts Rust into sound paintable surface
- No need for another primer
- Water Based anti-bleed formula
- Paint with water or oil based paints

Contractor Wash

- NOT a bleach
- IS biodegradable
- Applied by brush, spray, sponge or washcloth
- Can be painted over when dry

Exterior

Weatherite

- Premium exterior, self-priming, water based acrylic paint
- Use on exterior walls including weatherboards, timber, masonry, concrete, plasterboard and fibre cement board
- Tough flexible finish and to maximise performance in all exterior conditions
- Incorporating the latest gradient morphology technology to help reduce grain cracking when used over timber surfaces
- Available in Low Sheen, Semi Gloss and Gloss
- Can be used on Interior

Restoration Range - Exterior

- The Budget-Savvy Renovators Choice - Quality Meets Affordability
- Washable with excellent mould resistance
- Excellent dirt pick up resistance, Semi Gloss
- White and Pastel Colours (for dark colours use Weatherite)

Ultraname

- Water based PUD polymer blended enamel
- “No Sag Flow Technology” to aid in the perfect finish and encourage a smooth defect free paint surface
- Use on window frames, timber doors, skirting boards, and wallboards
- Use in both interior and exterior environments
- Available in Semi Gloss and Gloss

Asbestos - Advanced Encapsulation System

- This is a 3 step System water based system
- Encapsulation Coat: Nano particle primer, specifically designed to penetrate and bind asbestos
- Subflex 1000: High Buildcoat, water resistance and elastomeric properties making it an ideal final finish over cementitious substrates
- Hydrophobic Finish Coat is high gloss, high UV resistance
- Complies with New Zealand’s HSWA (Asbestos) Regulations 2016
- Scan QR code to download more Information



Interior

Livingshield MAX

- Premium Low Sheen Interior Paint.
- Using Nano technology to produce a scrubbable surface
- Has great moisture and mould resistance
- Water based with an Enamel like flow and levelling
- Recommended for use on interior walls and in high traffic areas, hallways, family rooms, kitchens and bathrooms
- White and Pastel Colours (for dark colours use Weatherite)

Restoration Range - Wall & Ceiling

- The Budget-Savvy Renovators Choice - Quality Meets Affordability
- Washable with excellent mould resistance
- Excellent dirt pick up resistance
- Low Sheen
- White and Pastel Colours (for dark colours use Weatherite)

Ultramel

- Water based PUD polymer blended enamel
- “No Sag Flow Technology” to aid in the perfect finish and encourage a smooth defect free paint surface
- Use on window frames, timber doors, skirting boards, and wallboards
- Use in both interior and exterior environments
- Available in Low Sheen, Semi Gloss and Gloss

Ceiling Flat

- Dead Flat Ceiling Paint, dries to an architectural ultra flat finish
- Can be applied over gypsum plasterboard, fibrous plaster and for repaints
- Use on ceilings in dining rooms, bedrooms and lounges
- Can be touched up after it is cured
- Excellent coverage and hiding power

Ply and Pine

- Interior Acrylic water based varnish
- recommended for use on interior plywood walls, banisters and interior pine such as handrails
- Combines washability with moisture and mould resistance
- Easy to apply

Undercoats

Easy Sand

- Designed for pine, MDF and stopping and finishing compounds
- Excellent sanding properties
- Extremely high opacity
- Excellent adhesion
- Re-coatable with all systems

All Prime

- Designed for most substrates including plastics, enamels & varnishes
- Extremely fast drying and re-coat times
- Delivers excellent gloss retention for subsequent finish coats
- May be left for up to 12 months on exterior surfaces before applying finish coats
- Recommended primer/undercoat for water-based enamels
- All Prime can be used under solvent enamel finishes

All Purpose

- Designed for solid plaster, wood, concrete and many other substrates used in the building industry
- Fast drying and re-coat times
- Good hold out for following finish coats
- Recommended primer/undercoat for general exterior areas
- All Purpose Primer/Undercoat can be used under solvent enamel finishes

Sealquik

- The first Interior oil-based pigmented sealer that cleans up in water
- Dries in about 30 minutes and can be re-coated in 1 hour
- Can be used over all types of paper faced wallboard, MDF and Plaster
- Can be used under and over wallpaper
- Excellent adhesion, good hiding power
- Self leveling
- Can be over coated with water and oil based coatings

Wallboard Primer

- Designed for paper faced plasterboard
- Does not raise the grain of the paper and requires minimum sanding.
- Pigmented solvent based sealer (Oil Based)

Specialty Coatings

Pitakote

- Hi-build 2 pack Epoxy Coating
- Formulated for use where chemical and abrasive resistance is necessary
- Perfect for indoor use or underwater pool areas
- Heat Resistance: Stands strong up to 120°C dry and 60°C wet

Novepoxy

- Water based, Hi-build 2 pack Epoxy Coating
- Pot Life 3+ hours at 20 degree
- Hot Tyre Tested for Garages
- Zero VOC

Lightening

- Quickly penetrates paint, lifting it from the substrate and softening
- Easy remove paint with a scraper or steel wool
- Non-caustic, methylene chloride based paint stripper
- Gel structure is ideal for wetting both vertical and horizontal surfaces

Fence Coat

- Waterbased oil reinforced finish for rough sawn timber
- Ideal for brush, roller and/or spray application
- Range of Colorsteel Colours & White

Farm Coat Black

- Incorporating an anti-chew additive that's safe for livestock
- Modified acrylic finish for rough sawn post and rail timber
- Formulated with up to 50% more black pigment

Lumber Care

- Self-priming water based acrylic paint for Decks, Fences and Pergola
- Excellent adhesion to natural timber, masonry, old paint work & primers
- Flexible – Resists cracking & peeling for long-term weather protection

Transtain

- Penetrating semi-transparent finish for decks, fences and pergolas
- water-based; oil modified polyurethane stain for all types of timbers
- High UV Protection, Fast drying, Low VOC



*The Big Little
Paint Company*

Delivery Available Nationwide

Auckland

- 4 Gloucester Park Road,
Onehunga

Christchurch

- 42 Buchan Street,
Sydenham



www.AstraPaints.co.nz

sales@Astrapaints.co.nz

0800 278 727